

# LIST OF PUBLICATIONS

Zyun F. Ezawa

1. Quantum Hall ferromagnets:  
Z.F. Ezawa and G. Tsitsishvili, *Rep. Prog. Phys.* **72** (2009) 086502 (32pp).
2. Pseudospin Soliton in the  $\nu = 1$  Bilayer Quantum Hall State:  
A. Fukuda, D. Terasawa, M. Morino, K. Iwata, S. Kozumi, N. Kumada, Y. Hirayama, Z. F. Ezawa and A. Sawada, *Phys. Rev. Lett.* **100** (2008) 016801-016804.
3. Activation Study of the Bilayer  $\nu = 1/3$  Quantum Hall State:  
A. Fukuda, K. Iwata, T. Sekikawa, T. Arai, N. Kumada, Y. Hirayama, Z.F. Ezawa, A. Sawada, *Physica E* **40** (2008) 1261-1263.
4. Interlayer Phase Coherence and Dissipative Soliton-Lattice Regime in Bilayer Quantum Hall Systems:  
Z.F. Ezawa, K. Ishiia and G. Tsitsishvili, *Physica E* **40** (2008) 1557-1559.
5. Anisotropic Magnetotransport by the Pseudospin Soliton in the Bilayer  $\nu = 1$  Quantum Hall System:  
A. Fukuda, M. Morino, K. Iwata, D. Terasawa, S. Kozumi, N. Kumada, Y. Hirayama, Z.F. Ezawa, A. Sawada, *Physica E* **40** (2008) 1255-1257.
6. Effects of In-Plane Magnetic Field Direction on the Nuclear-Spin Relaxation in the  $\nu = 2/3$  Quantum Hall State:  
K. Iwata, M. Morino, A. Fukuda, M. Suzuki, Z.F. Ezawa, A. Sawada, N. Kumada and Y. Hirayama, *Physica E* **40** (2008) 1175-1177.
7. Anomalous Diagonal Resistivity and Soliton Lattice in Bilayer Quantum Hall Systems:  
Z.F. Ezawa, K. Ishiia and G. Tsitsishvili, *Physica B* **403** (2008) 1517-1519.
8. Anomalous Quantum-Hall Resistance in Bilayer Counterflow Transport:  
Z.F. Ezawa, S. Suzuki and G. Tsitsishvili, *Physica Status Solidi (c)* **4** (2007) 485-488.
9. Anisotropic Magnetotransport near the  $\nu = 2/3$  Quantum Hall State:  
M. Morino, K. Iwata, M. Suzuki, A. Fukuda, A. Sawada, Z.F. Ezawa, N. Kumada and Y. Hirayama, *Physica E* **34** (2006) 152-155.
10. Stability of Soliton Lattice phase in  $\nu = 1$  Bilayer Quantum Hall State under Tilted Magnetic Field:  
D. Terasawa, A. Fukuda, S. Kozumi, A. Sawada, Z.F. Ezawa, N. Kumada and Y. Hirayama, *Physica E* **34** (2006) 81-84.
11. Quantum Transport Study of Canted Antiferromagnet Phase in the  $\nu = 2$  Bilayer Quantum Hall State:  
A. Fukuda, S. Kozumi, D. Terasawa, Y. Shimoda, N. Kumada, Y. Hirayama, Z.F. Ezawa, A. Sawada, *Physica E* **34** (2006) 77-80.
12. Magnetotransport Study of the Canted Antiferromagnetic Phase in Bilayer  $\nu = 2$  Quantum Hall State:  
A. Fukuda, A. Sawada, S. Kozumi, D. Terasawa, Y. Shimoda, Z.F. Ezawa, N. Kumada, Y. Hirayama, *Phys. Rev. B* **73** (2006) 165304-165309.

13. Topological Solitons in Noncommutative Plane and Quantum Hall Skyrmions:  
Z.F. Ezawa and G. Tsitsishvili, *Phys. Rev. D* **72** (2005) 85002-85019.
14. Microscopic Theory of Skyrmions in Quantum Hall Ferromagnets:  
G. Tsitsishvili and Z.F. Ezawa, *Phys. Rev. B* **72** (2005) 115306-115320.
15. Pseudospin Domain of  $\nu = 1$  Double-Layer Quantum Hall State near Commensurate-Incommensurate Transition:  
Daiju Terasawa, Shinsuke Kozumi, Akira Fukuda, Anju Sawada, Zyun F. Ezawa, Norio Kumada, Yoshiro Hirayama, *J. Phys. Chem. Solids* **66** (2005) 1560-1562.
16. Anisotropic magnetotransport around the  $\nu = 1$  bilayer quantum Hall state:  
Kazuki Iwataa, Masayuki Morino, Michiro Suzuki, Akira Fukuda, Anju Sawada, Zyun F. Ezawa, Norio Kumada and Yoshiro Hirayama, *J. Phys. Chem. Solids* **66** (2005) 1556-1559.
17. Double Magnetoresistance Minima Induced by the In-Plane Magnetic Field for the  $\nu = 1$  Double-Layer Quantum Hall State:  
D. Terasawa, K. Nakada, S. Kozumi, Z.F. Ezawa, A. Fukuda, A. Sawada, N. Kumada, K. Muraki and Y. Hirayama, *Int. J. Mod. Phys. B* **18** (2005) 3709.
18. Anisotropic Transport on the  $\nu = 1$  Bilayer Quantum Hall System under Tilted Magnetic Field:  
M. Morino, K. Iwata, A. Fukuda, A. Sawada, Z. F. Ezawa, N. Kumada, and Y. Hirayama, *Int. J. Mod. Phys. B* **18** (2005) 3705.
19. Ground-State Structure in  $\nu = 2$  Bilayer Quantum Hall Systems:  
Z.F. Ezawa, M. Eliashvili and G. Tsitsishvili, *Phys. Rev. B* **71** (2005) 125318.
20. SU(4) Skyrmions and Activation Energy Anomaly in Bilayer Quantum Hall Systems:  
Z.F. Ezawa and G. Tsitsishvili, *Phys. Rev. B* **70** (2004) 125304(1-22).
21. Simultaneous Excitation of Spins and Pseudospins in the Bilayer  $\nu = 1$  Quantum Hall State:  
D. Terasawa, M. Morino, K. Nakada, S. Kozumi, A. Sawada, Z.F. Ezawa, N. Kumada, K. Muraki, T. Saku and Y. Hirayama, *Physica E* **22** (2004) 52-55.
22. Effects of In-plane Magnetic Fields on Spin Transitions in Bilayer Quantum Hall States:  
N. Kumada, K. Tagashira, K. Iwata, A. Sawada, Z.F. Ezawa, K. Muraki, T. Saku and Y. Hirayama, *Physica E* **22** (2004) 36-39.
23. Phase diagrams of  $\nu = 2$  and  $\nu = \frac{2}{3}$  quantum Hall states in bilayer system:  
N. Kumada, D. Terasawa, M. Morino, K. Tagashira, A. Sawada, and Z.F. Ezawa, K. Muraki and Y. Hirayama, *Phys. Rev. B* **69** (2004) 155319(1-9).
24. Noncommutative Geometry, Extended  $W_\infty$  Algebra and Grassmannian Solitons in Multicomponent Quantum Hall Systems:  
Z.F. Ezawa, G. Tsitsishvili and K. Hasebe, *Phys. Rev. B* **67** (2003) 125314-125330.
25. Continuous transformation from spin- to pseudospin-type excitation:  
A. Sawada, D. Terasawa, N. Kumada, M. Morino, K. Tagasira, Z.F. Ezawa, K. Muraki, T. Saku and Y. Hirayama, *Physica E* **18** (2003) 118-119.
26. Grassmannian fields and doubly enhanced skyrmions in the bilayer quantum Hall system at  $\nu = 2$ :  
K. Hasebe and Z.F. Ezawa, *Phys. Rev. B* **66** (2002) 155318-155330.

27. Integer and fractional quantum Hall effects in Bilayer Electron Systems:  
Z.F. Ezawa, A. Sawada and N. Kumada, *J. Phys. Chem. Solids* **63** (2002) 1289-1296.
28. Phase diagram of interacting composite fermions in the bilayer  $\nu = \frac{2}{3}$  quantum hall effect:  
N. Kumada, D. Terasawa, Y. Shimoda, H. Azuhata, A. Sawada, Z.F. Ezawa, K. Muraki, T. Saku and Y. Hirayama, *Phys. Rev. Lett.* **89** (2002) 116802:1-4.
29. Various phase transitions in  $\nu = 2/3$  bilayer quantum Hall states:  
N. Kumada, D. Terasawa, Y. Shimoda, H. Azuhata, A. Sawada, Z. F. Ezawa, K. Muraki, T. Saku and Y. Hirayama, *Physica E* **12** (2002) 32-35.
30. SU(4) quantum coherence and interlayer tunneling in bilayer quantum Hall systems:  
Z.F. Ezawa, K. Hasebe and A. Sawada, *Physica E* **12** (2002) 24-27.
31. Interlayer exchange interactions, SU(4) soft waves and skyrmions in bilayer quantum Hall systems:  
Z.F. Ezawa and K. Hasebe, *Phys. Rev. B* **65** (2002) 075311(1-11).
32. Preferred number of flipped spins in skyrmion excitation:  
N. Kumada, A. Sawada, Z.F. Ezawa, H. Azuhata, S. Nagahama, K. Muraki, T. Saku and Y. Hirayama, *Physica B* **298** (2001) 169-172.
33. Interlayer coherent phenomena in bilayer quantum Hall systems:  
Z.F. Ezawa and A. Sawada, *Physica B* **294-295** (2001) 463-466.
34. Doubly enhanced skyrmions in  $\nu = 2$  bilayer quantum Hall states:  
N. Kumada, A. Sawada, Z.F. Ezawa, S. Nagahama, H. Azuhata, K. Muraki, T. Saku and Y. Hirayama, *J. Phys. Soc. Jap.* **69** (2000) 3178-3181.
35. Quantum coherence and skyrmion textures in bilayer quantum Hall systems:  
Z.F. Ezawa, A. Sawada, K. Muraki and Y. Hirayama, *Physica E* **6** (2000) 640-643.
36. Bilayer  $\nu = 2$  quantum Hall state in parallel high magnetic field:  
A. Sawada, Z.F. Ezawa, H. Ohno, Y. Horikoshi, N. Kumada, Y. Ohno, S. Kishimoto, F. Matsukura and S. Nagahama, *Physica E* **6** (2000) 615-618.
37. Interlayer charge transfer in bilayer quantum Hall states at various filling factors:  
K. Muraki, T. Saku, Y. Hirayama, N. Kumada, A. Sawada and Z.F. Ezawa, *Solid State Communications* **112** (1999) 625-629.
38. Thermal and tunneling pair creation of quasiparticles in quantum Hall systems:  
K. Sasaki and Z.F. Ezawa, *Phys. Rev. B* **60** (1999) 8811-8816.
39. Interlayer coherence in  $\nu = 1$  and  $\nu = 2$  bilayer quantum Hall state:  
A. Sawada, Z.F. Ezawa, H. Ohno, Y. Horikoshi, A. Urayama, Y. Ohno, S. Kishimoto, F. Matsukura and N. Kumada, *Phys. Rev. B* **59** (1999) 14888-14891.
40. Skyrmions and quantum Hall ferromagnets in improved composite-boson theory:  
Z.F. Ezawa and K. Sasaki, *J. Phys. Soc. Jap.* **68** (1999) 576-585.
41. Spin-pseudospin coherence and CP<sup>3</sup> skyrmions in bilayer quantum Hall ferromagnets:  
Z.F. Ezawa, *Phys. Rev. Lett.* **82** (1999) 3512-3515.

42. Improved composite-boson theory of monolayer and bilayer quantum Hall ferromagnets:  
Z.F. Ezawa, *Phys. Lett. A* **249** (1998) 223–230.
43. Quantum coherence in quantum Hall ferromagnet:  
Z.F. Ezawa, *Physica B* **249–251** (1998) 841–844.
44. Phase transition in  $\nu = 2$  bilayer quantum Hall state:  
A. Sawada, Z.F. Ezawa, H. Ohno, Y. Horikoshi, Y. Ohno, S. Kishimoto, F. Matsukura, M. Yasumoto and A. Urayama, *Phys. Rev. Lett.* **80** (1998) 4534–4537.
45. Interlayer quantum coherence and anomalous stability of  $\nu = 1$  bilayer quantum Hall state:  
A. Sawada, Z.F. Ezawa, H. Ohno, Y. Horikoshi, S. Kishimoto, F. Matsukura, Y. Ohno, M. Yasumoto and A. Urayama, *Physica B* **249–251** (1998) 836–840.
46.  $\nu = 1$  bilayer quantum Hall state at arbitrary electron distribution in a double quantum well:  
Y. Ohno, A. Sawada, Z.F. Ezawa, H. Ohno, Y. Horikoshi, S. Kishimoto, F. Matsukura, M. Yasumoto and A. Urayama, *Solid State Electronics* **42** (1998) 1183–1185.
47. Anomalous stability of  $\nu = 1$  bilayer quantum Hall state:  
A. Sawada, Z.F. Ezawa, H. Ohno, Y. Horikoshi, O. Sugie, S. Kishimoto, F. Matsukura, Y. Ohno and M. Yasumoto, *Solid State Communications* **103** (1997) 447–451.
48. Quantum coherence and Skyrmions in biayer quantum Hall system:  
Z.F. Ezawa, *Phys. Rev. B* **55** (1997) 7771–7790.
49. Quantum coherence and  $W_\infty \times SU(2)$  symmetry in biayer quantum Hall system:  
Z.F. Ezawa, *Phys. Lett. A* **229** (1997) 392–400.
50. Quantum coherence and  $W_\infty \times SU(2)$  symmetry in biayer quantum Hall system:  
Z.F. Ezawa, *Phys. Lett. A* **229** (1997) 392–400.
51. Josephson phenomena in bilayer quantum Hall systems:  
Z.F. Ezawa, *Surface Science* **361/362** (1996) 122–125.
52. Quantum coherent phenomena in bilayer quantum Hall systems:  
Z.F. Ezawa, *Jpn. J. Appl. Phys.* **34** (1995) 4292–4294.
53. Josephson phenomena and quantum ferromagnetism in double-layer quantum Hall systems:  
Z.F. Ezawa, *Phys. Rev. B* **51** (1995) 11152–11155.
54. Josephson effect and associated phenomena in double layer quantum Hall systems:  
Z.F. Ezawa and A. Iwazaki, *Int. J. Mod. Phys. B* **8** (1994) 2111–2155.
55. Josephson effects in multi-layer quantum Hall systems:  
Z.F. Ezawa, A. Iwazaki and Y.S. Wu, *Mod. Phys. Lett. B* **7** (1993) 1825–1832.
56. Lowest Landau level constraint, Goldstone mode and Josephson effect in a double-layer quantum Hall system:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. B* **48** (1993) 15189–15197.
57. Proposal for measuring fractional charge of quasiparticles with quantum Hall-state Josephson effect:  
Z.F. Ezawa, A. Iwazaki and Y.S. Wu, *Mod. Phys. Lett. B* **7** (1993) 1223–1229.

58. Meissner effect in quantum Hall-state Josephson junction:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. Lett.* **70** (1993) 3119–3122.
59. Quantum Hall liquid, Josephson effect and hierarchy in a double-layer electron system:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. B* **47** (1993) 7295–7311.
60. Double-layer anyon superconductivity without  $P$  and  $T$  violation:  
Z.F. Ezawa and A. Iwazaki, *Mod. Phys. Lett. B* **7** (1993) 109–116.
61. Chern-Simons gauge theory for double-layer electron system:  
Z.F. Ezawa and A. Iwazaki, *Int. J. Mod. Phys. B* **6** (1992) 3205–3234.
62. Fractional quantum Hall states and Wigner crystal of quasiparticles:  
Z.F. Ezawa and A. Iwazaki, *J. Phys. Soc. Jap.* **61** (1992) 4133–4147.
63. Derivation of Laughlin’s wavefunction in anyon system:  
Z.F. Ezawa and A. Iwazaki, *Mod. Phys. Lett. B* **6** (1992) 737–745.
64. Field theory of anyons and fractional quantum Hall effects:  
Z.F. Ezawa, M. Hotta and A. Iwazaki, *Phys. Rev. B* **46** (1992) 7765–7781.
65. Anyon field theory and fractional quantum Hall states:  
Z.F. Ezawa, M. Hotta and A. Iwazaki, *Progr. Theor. Phys. Supp.* **107** (1992) 185–194.
66. Time-Dependent topological Chern-Simons solitons in external magnetic field:  
Z.F. Ezawa, M. Hotta and A. Iwazaki, *Phys. Rev. D* **44** (1991) 3906–3910.
67. Breathing vortex solitons in nonrelativistic Chern-Simons gauge theory:  
Z.F. Ezawa, M. Hotta and A. Iwazaki, *Phys. Rev. Lett.* **67** (1991) 411–414.
68. Nonrelativistic Chern-Simons vortex solitons in external magnetic field:  
Z.F. Ezawa, M. Hotta and A. Iwazaki, *Phys. Rev. D* **44** (1991) 452–464.
69. Nonrelativistic Chern-Simons vortices in magnetic field; their masses and spins:  
Z.F. Ezawa, M. Hotta and A. Iwazaki, *Phys. Lett. B* **261** (1991) 443–448.
70. Chern-Simons gauge theories for the fractional quantum Hall effect hierarchy and anyon superconductivity:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. B* **43** (1991) 2637–2641.
71. Operator formulation of superstring multiloop amplitudes:  
Z.F. Ezawa, A. Tezuka, K. Harada and S. Watamura, *Phys. Rev. D* **42** (1990) 2704–2709.
72. Bosonized superconformal ghosts and operator construction of  $g$ -loop amplitudes:  
U. Carow-Watamura, Z.F. Ezawa, K. Harada, A. Tezuka and S. Watamura, *Phys. Lett. B* **232** (1989) 186–192.
73. Chiral bosonization of superconformal ghosts on Riemann surface and path-integral measure:  
U. Carow-Watamura, Z.F. Ezawa, K. Harada, A. Tezuka and S. Watamura, *Phys. Lett. B* **227** (1989) 73–80.
74. Operator construction of ghost  $g$ -vacuum, handle operator and BRST-invariant multiloop amplitude of bosonic string:  
U. Carow-Watamura, Z.F. Ezawa, A. Tezuka and S. Watamura, *Phys. Lett. B* **221** (1989) 299–306.

75.  $N$ -loop superstring amplitude from Feynman-like rules; spin structures including Ramond sector, handle operator and  $g$ -vacuum:  
U.Carow-Watamura, Z.F.Ezawa and S.Watamura, *Nucl. Phys. B* **315** (1989) 166–192.
76. Operator approach to bosonic string; multiloop calculation and  $b$ -ghost insertion:  
U. Carow-Watamura, Z.F. Ezawa, A. Tezuka and S. Watamura, *Phys. Rev. D* **40** (1989) 422–435.
77. Feynman-like rules for bosonic string; tree vertices,  $b$ -ghost insertion and factorization:  
U. Carow-Watamura, Z.F. Ezawa and S. Watamura, *Nucl. Phys. B* **319** (1989) 187–210.
78. Space-time fermions and superghosts from the bosonic string;  
Generation of  $OSp(9,1|2) \times OSp(3,3|6)$  affine superalgebra:  
Z.F. Ezawa, S. Nakamura and A. Tezuka, *Phys. Rev. D* **37** (1988) 2243–225.
79. Vertex operator construction of the  $SO(9,1)$  Majorana-Weyl spinors in the Neveu-Schwartz-Ramond model:  
Z.F. Ezawa, S. Nakamura and A. Tezuka, *Nucl. Phys. B* **298** (1988) 241–252.
80. Picture changing operation and space-time supersymmetry in superstring field theory:  
Z.F. Ezawa and S. Nakamura, *Nucl. Phys. B* **294** (1987) 342–346.
81. Vertex operator construction of superconformal ghosts and string field theory:  
Z.F. Ezawa, S. Nakamura and A. Tezuka, *Nucl. Phys. B* **291** (1987) 334–348.
82. Vertex operator construction of  $SO(p,q)$  Kac-Moody algebra and compactified bosonic string:  
Z.F. Ezawa, S. Nakamura and A. Tezuka, *Phys. Lett. B* **181** (1986) 76–80.
83. Topological solitons and compactified bosonic string:  
Z.F. Ezawa, S. Nakamura and A. Tezuka, *Phys. Rev. D* **34** (1986) 3805–3810.
84. Quasi-solitons in the vector meson sector of the Weinberg chiral model:  
Z.F. Ezawa and T. Yanagida, *Phys. Rev. D* **33** (1986) 247–252.
85. Abelian and non-Abelian anomalies in monopole-fermion interactions:  
Z.F. Ezawa, *Ann. Phys. (NY)* **171** (1986) 297–320.
86. Generalized Schwinger models with vector and axial couplings:  
Z.F. Ezawa, *Progr. Theor. Phys.* **75** (1986) 216–219.
87. Abelian anomaly, non-Abelian anomalies and monopole-induced baryon decay:  
Z.F. Ezawa, *Progr. Theor. Phys.* **75** (1986) 141–147.
88. Monopole-induced baryon decay with arbitrary number of generations and effects of fermion mass:  
Z.F. Ezawa, *Phys. Lett. B* **151** (1985) 247–250.
89.  $SU(4) \times SU(2)$  unification in Kaluza-Klein supergravity:  
Z.F. Ezawa, I.G. Koh and S. Rajpoot, *Phys. Lett. B* **147** (1984) 284–288.
90. The  $SU(3) \times SU(2) \times U(1)$  coupling constants from the  $D=10$   $N=2$  supergravity and the strong, electroweak interactions:  
Z.F. Ezawa and I.G. Koh, *Phys. Lett. B* **142** (1984) 157–162.



91. Are the  $SU(3)\times SU(2)\times U(1)$  interactions from the D=11 supergravity the strong and electroweak interactions ?:  
Z.F. Ezawa and I.G. Koh, *Phys. Lett. B* **142** (1984) 153–156.
92. Monopoles in six-dimensional pure Kaluza-Klein theory:  
Z.F. Ezawa and I.G. Koh, *Phys. Lett. B* **140** (1984) 205–208.
93. Monopole-fermion dynamics and the Rubakov effect in Kaluza-Klein theories:  
Z.F. Ezawa and A. Iwazaki, *Phys. Lett. B* **138** (1984) 81–86.
94. Monopoles, baryon decay and charge conservation:  
Z.F. Ezawa and A. Iwazaki, *Z. Phys. C* **20** (1983) 335–345.
95. Spontaneous breakdown of supersymmetry and charge confinement:  
Z.F. Ezawa, A. Iwazaki and M. Sato, *Phys. Lett. B* **124** (1983) 40–44.
96. Scale-dependent analysis of magnetic flux condensation in QCD:  
Z.F. Ezawa and A. Iwazaki, *Phys. Lett. B* **120** (1983) 413–417.
97. Scale-dependent analysis of phase structures in quantum field theories:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. D* **26** (1982) 1380–1393.
98. Two-dimensional gases of weight charges and  $SU(N)$  fermion theories:  
Z.F. Ezawa and A. Iwazaki, *Ann. Phys. (NY)* **141** (1982) 134–153.
99. Abelian dominance and quark confinement in Yang-Mills theories II;  
Oblique confinement and  $\eta'$  mass:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. D* **26** (1982) 631–647.
100. Abelian dominance and quark confinement in Yang-Mills theories:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. D* **25** (1982) 2681–2689.
101. Quantum fluctuations around topological singularities and the large N limit in the  $CP(N-1)$  model:  
Z.F. Ezawa and K. Yamagishi, *Phys. Rev. D* **25** (1982) 2147–2161.
102.  $Z_N$  topology and charge confinement in  $SU(N)$  Higgs Models II:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. D* **24** (1981) 2264–2273.
103.  $Z_N$  topology and charge confinement in  $SU(N)$  Higgs Models:  
Z.F. Ezawa and A. Iwazaki, *Phys. Rev. D* **23** (1981) 3036–3045.
104. Electric and magnetic gauge symmetries in the Abelian Higgs Model:  
Z.F. Ezawa and A. Iwazaki, *Progr. Theor. Phys.* **66** (1981) 275–286.
105. Charge confinement and vacuum structure in the 1+1 dimensional Higgs model:  
Z.F. Ezawa, *Nucl. Phys. B* **157** (1979) 444–450.
106. Electric quark confinement in 3+1 dimensions:  
Z.F. Ezawa, *Phys. Lett. B* **86** (1979) 313–316.
107. Electric quark confinement in 2+1 dimensions:  
Z.F. Ezawa, *Phys. Lett. B* **85** (1979) 87–90.
108. Local field theories for vortex solitons:  
Z.F. Ezawa, *Phys. Lett. B* **82** (1979) 426–430.

109. Quantum soliton operators for monopoles and fermionization mechanism of dyons:  
Z.F. Ezawa, *Phys. Lett. B* **81** (1979) 325–328.
110. A canonical formalism of instantons and vacuum tunnelling in the 1+1 dimensional Higgs model:  
Z.F. Ezawa, *Nuovo Cim. A* **51** (1979) 187–208.
111. Quantum soliton operators for vortices and superselection rules:  
Z.F. Ezawa, *Phys. Rev. D* **18** (1978) 2091–2099.
112. A canonical approach to instantons and multiple vacua in Abelian gauge theories:  
Z.F. Ezawa and D. Pottinger, *Phys. Lett. B* **66** (1977) 445–448.
113. Renormalization group and the high energy behavior of the forward scattering amplitude:  
K. Nishijima, T.N. Pham and Z.F. Ezawa, *Progr. Theor. Phys.* **57** (1977) 1013–1024.
114. A theory of Dirac monopole with a non-Abelian symmetry:  
Z.F. Ezawa and H.C. Tze, *Phys. Rev. D* **15** (1977) 1647–1654.
115. Global signatures of gauge invariance, vortices and monopoles:  
H.C. Tze and Z.F. Ezawa, *Phys. Rev. D* **14** (1976) 1006–1020.
116. Monopoles, vortices and the geometry of the Yang-Mills bundles:  
Z.F. Ezawa and H.C. Tze, *J. Math. Phys.* **17** (1976) 2228–2231.
117. Triality monopoles, hadronic vortices and the Yang-Mills connection:  
Z.F. Ezawa and H.C. Tze, *Nucl. Phys. B* **100** (1975) 1–20.
118. Dynamics of vacuum excitations and quark confinement in quantum field theories:  
Z.F. Ezawa and H.C. Tze, *Nucl. Phys. B* **96** (1975) 264–284.
119. Quark confinement and quantum vortex strings in Nambu-Heisenberg model:  
H.C. Tze and Z.F. Ezawa, *Phys. Lett. B* **55** (1975) 63–66.
120. An asymptotically scale-free theory of large transverse momentum processes:  
Z.F. Ezawa and J.C. Polkinghorne, *Phys. Rev. D* **11** (1975) 1993–1999.
121. Wide angle scattering in softened field theory:  
Z.F. Ezawa, *Nuovo Cim. A* **23** (1974) 271–290.
122. How does triple-Pomeranchukon coupling modify  $F(\omega)$ ?:  
Z.F. Ezawa and J. Maharana, *Phys. Rev. D* **9** (1974) 2164–2166.
123. Description of inclusive reactions in quark model:  
Z.F. Ezawa, J. Maharana and H. Miyazawa, *Progr. Theor. Phys.* **51** (1974) 877–881.
124. Field-theoretical formulation of parton model in current interactions:  
Z.F. Ezawa, *Progr. Theor. Phys.* **50** (1973) 926–944.
125. Drell-Yan-West relation for deep-inelastic and elastic form factors:  
Z.F. Ezawa, *Nucl. Phys. B* **58** (1973) 295–300.
126. Electroproduction and annihilation in deep-inelastic limit:  
Z.F. Ezawa, *Nucl. Phys. B* **56** (1973) 52–60.
127. Comment on the Schwinger term sum rule:  
Z.F. Ezawa, *Phys. Rev. D* **8** (1973) 675–677.



128. Fixed poles in current amplitudes:  
Z.F. Ezawa, *Nuovo Cim. Lett.* **5** (1972) 935–940.
129. Fixed poles and virtual Compton amplitude:  
Z.F. Ezawa, *Nuovo Cim. Lett.* **4** (1972) 315–319.
130. The HNZ construction for fixed and moving poles:  
Z.F. Ezawa and K. Nishijima, *Progr. Theor. Phys.* **48** (1972) 1751–1754.
131. Current commutators near the light cone:  
Z.F. Ezawa, *Phys. Lett. B* **41** (1972) 605–608.
132. Does duality hold in current interactions?:  
Z.F. Ezawa, *Phys. Rev. Lett.* **27** (1971) 1092–1095.
133. Current interactions in a parton picture:  
Z.F. Ezawa, *Progr. Theor. Phys.* **46** (1971) 883–896.
134. Deep-inelastic electron-proton scattering in a parton-duality model:  
Z.F. Ezawa, *Nucl. Phys. B* **26** (1971) 195–202.
135. Gravitational waves radiated from two-body systems:  
Z.F. Ezawa and Y. Yamaguchi, *J. Phys. Soc. Jap.* **28** (1970) 1083–1087.